



Daily Time Series


Variable: TP Dates: 05/01/02 thru 07/31/14
 Site: G600 Grabs: G600 Compos: G600 Flows: G600
 Mean Flow: 32 cfs FWM Conc: 72.2 ppb Mean Load: 5.7 kg/day




Site = G600, Var = TP




Site = G600, Var = TP




• Grab ■ Composite



• Grab ■ Compos



• Grab ■ Composite









Trend in Grab Concs, Adjusted for Flow & Seasonal Variations

Trend = 13.8 % / yr, p = 0.000







Monthly Time Series

Variable: TP Dates: 05/01/02 thru 07/31/14
 Site: G600 Grabs: G600 Compos: G600 Flows: G600
 Mean Flow: 32.2 cfs FWM Conc: 72.2 ppb Mean Load: 5.7 kg/day



Yearly Time Series

Variable: TP Dates: 05/01/02 thru 07/31/14
 Site: G600 Grabs: G600 Compos: G600 Flows: G600
 Mean Flow: 23 kac-ft/yr FWM Conc: 72.2 ppb Mean Load: 2082 kg / yr



Trend = 13.8 % / yr, p = 0.000

	Samples	FWM	Std Error	Grab/Composite Ratio
Grabs	166	64.3	5.1	Integrated 0.89
Compos+Grabs	195	72.2	5.7	Paired Samp 0.91